European Journal of Pharmacology, 182 (1990) 617–621
Elsevier

Author index

Abram, T.S., see Gardiner, P.J. (182) 291
Abram, T.S., see Norman, P. (182) 301
Adamo, E.B., see Serio, R. (182) 487
Ahmad, B. and Nicholls, P.J.
Development of tolerance to the CNS effects of aminoglutethimide in mice (182) 237
Aizu, E., Yamamoto, S., Nakadate, T. and Kato, R.
Differential effects of various skin tumor-promoting agents on prostaglandin E_2 release from primary cultures of mouse epidermal cells (182) 19
Al-Tajir, G., Starr, M.S. and Starr, B.S.
Proconvulsant effect of SKF 38393 mediated by nigral D_1 receptors (182) 245
Albrecht, J. and Norenberg, M.D.
L-Methionine-DL-sulfoximine induces massive efflux of glutamine from cortical astrocytes in primary culture (182) 587
Andersson, K.-E., see Uvelius, B. (182) 549
Andrade, R., see Chaput, Y. (182) 441
Änggård, E.E., see Mitchell, J.A. (182) 573
Araneda, R.C., see Chaput, Y. (182) 441
Areso, P.M., see Dubocovich, M.L. (182) 313
Argiolas, A., see Melis, M.R. (182) 101

Barkai, E., Golan, H., Grossman, Y. and Gutnick, M.J.
Pentylenetetrazole-induced kindling is prevented by prior treatment with cysteamine (182) 167
Barnett, D.B., see Lu, X. (182) 481
Barnette, M.S., Grous, M., Manning, C.D., Callahan, J.F. and Barone, F.C.
Inhibition of neuronally induced relaxation of canine lower esophageal sphincter by opioid peptides (182) 363
Barone, D., see Renzetti, A.R. (182) 413
Barone, F.C., see Barnette, M.S. (182) 363
Bartfai, T., see Xu, X.-J. (182) 137
Bauco, P., see Rompré, P.-P. (182) 181
Beer, M.S., see Watling, K.J. (182) 465
Bennett, Jr., J.P., see Orosz, D. (182) 509
Berger, S.P., see Markwell, M.A.K. (182) 607
Berlan, M., see Durrieu, G. (182) 597
Bertrand, G., Gross, R., Ribes, G. and Loubatières-Mariani, M.-M.
P_2 purinoceptor agonists stimulate somatostatin secretion from dog pancreas (182) 369
Beubler, E., Hinterleitner, T. and Horina, G.
Protein kinase C and intestinal fluid secretion: involvement of prostaglandin E_2 but not of 5-hydroxytryptamine (182) 543
Bhargava, H.N., see Gulati, A. (182) 253
Böhmer, G., Schmid, K. and Ramsbott, M.
Effects of corticotropin-releasing factor on central respiratory activity (182) 405
Breipohl, G., see Martorana, P.A. (182) 395
Briley, M., see Lerner-Natoli, M. (182) 161
Broccardo, M. and Improta, G.
Pituitary-adrenal and vagus modulation of sauvagine- and CRF-induced inhibition of gastric emptying in rats (182) 357
Brugger, F., see Pozza, M.F. (182) 91
Burridge, J., see Kilpatrick, G.J. (182) 193
Butler, A., see Kilpatrick, G.J. (182) 193

Callahan, J.F., see Barnette, M.S. (182) 363
Carvalho, M.H.C., see Fortes, Z.B. (182) 143
Castañeda-Hernández, G., see De León, H. (182) 171
Chapman, R.W., see Mauser, P.J. (182) 125
Chaput, Y., Araneda, R.C. and Andrade, R.
Pharmacological and functional analysis of a novel serotonin receptor in the rat hippocampus (182) 441
Chen, C.-F., see Yang, M.C.M. (182) 537
Chiodo, L.A., see Rouillard, C. (182) 227
Choo, L.K., see Darroch, S.A. (182) 131
Claude de Montigny, , see Monnet, F.P. (182) 207
Compton, R.P., see Lanthorn, T.H. (182) 397
Connor, H.E. and Higgins, G.A.
Cardiovascular effects of 5-HT_{1A} receptor agonists injected into the dorsal raphe nucleus of conscious rats (182) 63
Conroy, D.M., see Homa, S.T. (182) 457
Coppi, G. and Falcone, A.
The thyrotropin releasing hormone analogue, RGH 2202, reverses experimental haemorrhagic shock in rats (182) 185
Criscuoli, M., see Renzetti, A.R. (182) 413
Cruciani, R.A., see Pesce, G.O. (182) 429
Cuthbert, N.J., see Gardiner, P.J. (182) 291
Cuthbert, N.J., see Norman, P. (182) 301

Dandona, P., see Jeremy, J.Y. (182) 83
Darroch, S.A., Taylor, W.C., Choo, L.K. and Mitchelson, F.
Structure-activity relationships of some *Galbulimima* alkaloids related to himbacine (182) 131
Debets, J.J.M., see Schoemaker, R.G. (182) 527
Debonnel, G., see Monnet, F.P. (182) 207
De Broucker, T., see Willer, J.C. (182) 347
De León, H., Castañeda-Hernández, G. and Hong, E.
Different time course of atrial natriuretic factor-induced relaxation in rabbit aorta and portal vein (182) 171

0014-2999/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Delmendo, R.E., see Michel, A.D. (182) 335
Del Rio Garcia, J., see Martínez, J.A. (182) 117
De Miranda, J.F.R., see Van Megen, Y.J.B. (182) 515
Depaulis, A., see Liu, Z. (182) 109
De Wulf, H., see Keppens, S. (182) 149
Di Chiara, G., see Morelli, M. (182) 611
Dissanayake, V.U.K., Hunter, J.C., Hill, R.G. and Hughes, J.
Characterization of κ-opioid receptors in the guinea-pig ileum (182) 73
D'Oyley, H.M. and Pang, C.C.Y.
Effects of α_1- and α_2-adrenoceptor antagonists on venous tone in conscious rats (182) 283
Dubocovich, M.L., Mogilnicka, E. and Areso, P.M.
Antidepressant-like activity of the melatonin receptor antagonist, luzindole (N-0774), in the mouse behavioral despair test (182) 313
Durrieu, G., Valet, P., Berlan, M., Villeneuve, A. and Montastruc, J.-L.
Levodopa up-regulates platelet α_2-adrenoceptors (182) 597

Egan, R.W., see Mauser, P.J. (182) 125
El-Fakahany, E.E., see Pou, W.S. (182) 393
Elfellah, M.S. and Reid, J.L.
Regulation of β-adrenoceptors in the guinea pig left ventricle and skeletal muscle following chronic agonist treatment (182) 387
Erdö, S.L. and Michler, A.
GABA does not protect cerebro-cortical cultures against excitotoxic cell death (182) 203

Fagg, G.E., see Pozza, M.F. (182) 91
Falcone, A., see Coppi, G. (182) 185
Fisone, G., see Xu, X.-J. (182) 137
Fortes, Z.B., Oliveira, M.A., Scivoletto, R., Carvalho, M.H.C., Gilberto De Nucci, and Nigro, D.
Nitric oxide release may be involved in the microcirculatory response to acetylcholine (182) 143
Frambes, N.A., Kirstein, C.L., Moody, C.A. and Spear, L.P.
5-HT_{1A}, 5-HT_{1B} and 5-HT_2 receptor agonists induce differential behavioral responses in preweanling rat pups (182) 9
Freeman, A.S., see Rouillard, C. (182) 227
Frelin, C., see Schaeffer, P. (182) 503
Fuente, T., see Martínez, J.A. (182) 117
Fuentes, J.A., see Jiménez, I. (182) 155
Fujimori, K., see Nakazawa, K. (182) 189

Gamble, A.Y., see Schoepp, D.D. (182) 421
Gaoni, Y., see Lanthorn, T.H. (182) 397
Gardiner, P.J., Abram, T.S. and Cuthbert, N.J.
Evidence for two leukotriene receptor types in the guinea-pig isolated ileum (182) 291
Gardiner, P.J., see Norman, P. (182) 301
Gessa, G.L., see Melis, M.R. (182) 101
Gilberto De Nucci, , see Fortes, Z.B. (182) 143
Golan, H., see Barkai, E. (182) 167
Goldstein, M., see Tsuda, K. (182) 175
Gross, R., see Bertrand, G. (182) 369
Grossman, E., see Hoffman, A. (182) 603
Grossman, Y., see Barkai, E. (182) 167
Grous, M., see Barnette, M.S. (182) 363
Gulati, A. and Bhargava, H.N.
Down-regulation of hypothalamic 5-HT_{1A} receptors in morphine-abstinent rats (182) 253
Gutnick, M.J., see Barkai, E. (182) 167

Hecker, M., see Mitchell, J.A. (182) 573
Hey, J.A., see Koss, M.C. (182) 381
Higgins, G.A., see Connor, H.E. (182) 63
Hill, R.G., see Dissanayake, V.U.K. (182) 73
Hinko, C.N. and Rozanov, C.
The role of bicuculline, aminooxyacetic acid and gabaculine in the modulation of ethanol-induced motor impairment (182) 261
Hinterleitner, T., see Beubler, E. (182) 543
Hoffman, A., Grossman, E. and Keiser, H.R.
Opposite effects of endothelin-1 and Big-endothelin-(1-39) on renal function in rats (182) 603
Hökfelt, T., see Xu, X.-J. (182) 137
Homa, S.T., Nawaz Khan, S., Conroy, D.M., Speak, A.E. and Smith, A.D.
Verapamil inhibits phosphatidic acid formation and modifies phosphoinositide metabolism in stimulated platelets (182) 457
Hong, E., see De León, H. (182) 171
Hood, W.F., see Lanthorn, T.H. (182) 397
Horii, S., Tamaoki, J., Kanemura, T., Yamawaki, I. and Takizawa, T.
Effects of β-endorphin and dynorphin A on cholinergic neurotransmission in canine airway smooth muscle (182) 497
Horina, G., see Beubler, E. (182) 543
Hughes, J., see Dissanayake, V.U.K. (182) 73
Hunter, J.C., see Dissanayake, V.U.K. (182) 73

Ichihara, K., see Nabeshima, T. (182) 555
Iglesias, T., see Jiménez, I. (182) 155
Improta, G., see Broccardo, M. (182) 357
Inoue, K., see Nakazawa, K. (182) 189
Ito, T., see Koss, M.C. (182) 381

Jeremy, J.Y., Mikhailidis, D.P. and Dandona, P.
Differential inhibitory potencies of non-steroidal antiinflammatory drugs on smooth muscle prostanoid synthesis (182) 83
Jiménez, I., Iglesias, T. and Fuentes, J.A.
Stereoselectivity and subtype of the opiate receptor involved in stress-induced hypertension (182) 155
Johnson, B.G., see Schoepp, D.D. (182) 421

Kameyama, T., see Nabeshima, T. (182) 555
Kamimura, F., see Koshikawa, N. (182) 375
Kanemura, T., see Horii, S. (182) 497
Karasawa, A., Taylor III, P.A. and Lefer, A.M.

Protective effects of KW-3635, a novel thromboxane A_2 antagonist, in murine traumatic shock (182) 1
Karcz, M., see Ossowska, K. (182) 327
Karibe, H. and Uchida, M.-K.
Effects of ouabain and EGTA on the inhibitory effect of Ca^{2+} on guinea pig stomach smooth muscle ('Ca reversal') (182) 273
Kato, R., see Aizu, E. (182) 19
Kawano, K.-i., see Takayanagi, I. (182) 577
Kazda, S., see Neuser, D. (182) 569
Keiser, H.R., see Hoffman, A. (182) 603
Keppens, S., Vandekerckhove, A. and De Wulf, H.
Characterization of the purinoceptors present in rabbit and guinea pig liver (182) 149
Kettenbach, B., see Martorana, P.A. (182) 395
Kikuchi de Beltrán, K., see Koshikawa, N. (182) 375
Kilpatrick, G.J., Butler, A., Burridge, J. and Oxford, A.W.
1-(m-Chlorophenyl)-biguanide, a potent high affinity 5-HT_3 receptor agonist (182) 193
Kim, K.H. and Takeuchi, H.
Pharmacological characteristics of two different types of inhibitory GABA receptors on *Achatina fulica* neurones (182) 49
Kirstein, C.L., see Frambes, N.A. (182) 9
Klaassen, A.B.M., see Van Megen, Y.J.B. (182) 515
Klaassen, A.B.M., see Van Megen, Y.J.B. (182) 561
Knorr, A., see Neuser, D. (182) 569
Kobayashi, M., see Koshikawa, N. (182) 375
Koike, K., see Takayanagi, I. (182) 577
Koshikawa, F., see Koshikawa, N. (182) 375
Koshikawa, N., Koshikawa, F., Tomiyama, K., Kikuchi de Beltrán, K., Kamimura, F. and Kobayashi, M.
Effects of dopamine D_1 and D_2 agonists and antagonists injected into the nucleus accumbens and globus pallidus on jaw movements of rats (182) 375
Koss, M.C., Hey, J.A. and Ito, T.
Effect of prazosin on spontaneous sympathetic-cholinergic activity (182) 381
Kreutner, W., see Mauser, P.J. (182) 125
Kuo, J.-S., see Yang, M.C.M. (182) 537

Lanthorn, T.H., Hood, W.F., Watson, G.B., Compton, R.P., Rader, R.K., Gaoni, Y. and Monahan, J.B.
cis-2,4-Methanoglutamate is a potent and selective N-methyl-D-aspartate receptor agonist (182) 397
Lazdunski, M., see Schaeffer, P. (182) 503
Le Bars, D., see Willer, J.C. (182) 347
Lefer, A.M., see Karasawa, A. (182) 1
Lerner-Natoli, M., Rondouin, G., Stenger, A. and Briley, M.
Anticonvulsive properties of F1933 (dulozafone) on kindled seizures in the rat (182) 161
Linz, W., see Martorana, P.A. (182) 395
Liu, Z., Seiler, N., Marescaux, C., Depaulis, A. and Vergnes, M.
Potentiation of γ-vinyl GABA (vigabatrin) effects by glycine (182) 109
Lopez, M., see Michel, A.D. (182) 335
Loubatières-Mariani, M.-M., see Bertrand, G. (182) 369
Lu, X. and Barnett, D.B.
Differential rates of down regulation and recovery of rat myocardial β adrenoceptor subtypes in vivo (182) 481
Lum, J.T., see Piercey, M.F. (182) 219
Lundin, S., see Uvelius, B. (182) 549

Manning, C.D., see Barnette, M.S. (182) 363
Marescaux, C., see Liu, Z. (182) 109
Markwell, M.A.K., Berger, S.P. and Paul, S.M.
The polyamine synthesis inhibitor α-difluoromethyl-ornithine blocks NMDA-induced neurotoxicity (182) 607
Martínez, J.A., Vargas, M.L., Fuente, T., Del Rio Garcia, J. and Milanés, M.V.
Plasma β-endorphin and cortisol levels in morphine-tolerant rats and in naloxone-induced withdrawal (182) 117
Martorana, P.A., Kettenbach, B., Breipohl, G., Linz, W. and Schölkens, B.A.
Reduction of infarct size by local angiotensin-converting enzyme inhibition is abolished by a bradykinin antagonist (182) 395
Masuyama, Y., see Tsuda, K. (182) 175
Mauser, P.J., Kreutner, W., Egan, R.W. and Chapman, R.W.
Selective inhibition of peripheral histamine responses by loratadine and terfenadine (182) 125
Mehta, A.K. and Ticku, M.K.
Are $GABA_B$ receptors involved in the pharmacological effects of ethanol? (182) 473
Melis, M.R., Argiolas, A., Stancampiano, R. and Gessa, G.L.
Effect of apomorphine on oxytocin concentrations in different brain areas and plasma of male rats (182) 101
Michel, A.D., Delmendo, R.E., Lopez, M. and Whiting, R.L.
On the interaction of gallamine with muscarinic receptor subtypes (182) 335
Michler, A., see Erdö, S.L. (182) 203
Mikhailidis, D.P., see Jeremy, J.Y. (182) 83
Milanés, M.V., see Martínez, J.A. (182) 117
Mitchell, J.A., Hecker, M., Änggård, E.E. and Vane, J.R.
Cultured endothelial cells maintain their L-arginine level despite the continuous release of EDRF (182) 573
Mitchelson, F., see Darroch, S.A. (182) 131
Miyata, N., Tsuchida, K. and Otomo, S.
Functional changes in potassium channels in carotid arteries from stroke-prone spontaneously hypertensive rats (182) 209
Mogilnicka, E., see Dubocovich, M.L. (182) 313
Monahan, J.B., see Lanthorn, T.H. (182) 397
Monnet, F.P., Debonnel, G. and Claude de Montigny,
Neuropeptide Y selectively potentiates N-methyl-D-aspartate-induced neuronal activation (182) 207
Montastruc, J.-L., see Durrieu, G. (182) 597
Moody, C.A., see Frambes, N.A. (182) 9
Morelli, M. and Di Chiara, G.
MK-801 potentiates dopaminergic D_1 but reduces D_2 responses in the 6-hydroxydopamine model of Parkinson's disease (182) 611
Mulè, F., see Serio, R. (182) 487

Munson, P.J., see Pesce, G.O. (182) 429

Nabeshima, T., Tohyama, K., Ichihara, K. and Kameyama, T.
Attenuation of benzodiazepine-induced passive avoidance deficit by post-training administration of muscimol: interaction with the cholinergic neuronal system (182) 555
Nakadate, T., see Aizu, E. (182) 19
Nakazawa, K., Inoue, K., Fujimori, K. and Takanaka, A.
Neurokinin A suppresses a voltage-gated K^+ current in smooth muscle cells from rat vas deferens (182) 189
Nawaz Khan, S., see Homa, S.T. (182) 457
Neuser, D., Schulte-Brinkmann, R., Knorr, A. and Kazda, S.
Long-term hypotensive effect of parathyroid hormone in stroke prone spontaneously hypertensive rats (182) 569
Newberry, N.R., see Watling, K.J. (182) 465
Ney, P., see Schröder, H. (182) 211
Nicholls, P.J., see Ahmad, B. (182) 237
Nigro, D., see Fortes, Z.B. (182) 143
Norenberg, M.D., see Albrecht, J. (182) 587
Norman, P., Abram, T.S., Cuthbert, N.J. and Gardiner, P.J.
The inhibition of [^{3}H]leukotriene D_4 binding to guinea-pig lung membranes. The correlation of binding affinity with activity on the guinea-pig ileum (182) 301

Oliveira, M.A., see Fortes, Z.B. (182) 143
Olpe, H.-R., see Pozza, M.F. (182) 91
Ornstein, P.L., see Schoepp, D.D. (182) 421
Orosz, D. and Bennett, Jr., J.P.
Baseline and apomorphine-induced extracellular levels of nigral substance P are increased in an animal model of Parkinson's disease (182) 509
Ossowska, K., Karcz, M., Wardas, J. and Wolfarth, S.
Striatal and nucleus accumbens D_1/D_2 dopamine receptors in neuroleptic catalepsy (182) 327
Otomo, S., see Miyata, N. (182) 209
Oxford, A.W., see Kilpatrick, G.J. (182) 193

Pang, C.C.Y., see D'Oyley, H.M. (182) 283
Paul, S.M., see Markwell, M.A.K. (182) 607
Pencheva, N., Venkova, K. and Radomirov, R.
$GABA_B$ receptor-mediated contractile effects resistant to tetrodotoxin in isolated cat ileum (182) 199
Penney, D.G. and Robinson, M.C.
Effects of verapamil and carbon monoxide on blood pressure and heart mass in the spontaneously hypertensive rat (182) 29
Perregaard, J., see Skarsfeldt, T. (182) 613
Pesce, G.O., Cruciani, R.A., Munson, P.J. and Rodbard, D.
Computer modeling of subtypes of κ opioid receptors in adrenal medulla (182) 429
Piercey, M.F. and Lum, J.T.
(182) 219
Postorino, A., see Serio, R. (182) 487
Pou, S., see Pou, W.S. (182) 393
Pou, W.S., Pou, S., Rosen, G.M. and El-Fakahany, E.E.
EDRF release is a common pathway in the activation of guanylate cyclase by receptor agonists and calcium ionophores (182) 393
Pozza, M.F., Olpe, H.-R., Brugger, F. and Fagg, G.E.
Electrophysiological characterization of a novel potent and orally active NMDA receptor antagonist: CGP 37849 and its ethylester CGP 39551 (182) 91

Rader, R.K., see Lanthorn, T.H. (182) 397
Radomirov, R., see Pencheva, N. (182) 199
Raigorodsky, G. and Urca, G.
Spinal antinociceptive effects of excitatory amino acid antagonists: quisqualate modulates the action of N-methyl-D-aspartate (182) 37
Ramsbott, M., see Böhmer, G. (182) 405
Reid, J.L., see Elfellah, M.S. (182) 387
Renzetti, A.R., Barone, D. and Criscuoli, M.
High-affinity binding of mequitamium iodide (LG 30435) to muscarinic and histamine H_1 receptors (182) 413
Ribes, G., see Bertrand, G. (182) 369
Robinson, M.C., see Penney, D.G. (182) 29
Rodbard, D., see Pesce, G.O. (182) 429
Rodgers, R.J. and Shepherd, J.K.
Stereospecific inhibition of non-opioid defeat analgesia in male mice by MDL 72832, a selective 5-HT_{1A} receptor agonist (182) 581
Rodrigues de Miranda, J.F., see Van Megen, Y.J.B. (182) 561
Rompré, P.-P. and Bauco, P.
GBR 12909 reverses the SCH 23390 inhibition of rewarding effects of brain stimulation (182) 181
Rondouin, G., see Lerner-Natoli, M. (182) 161
Rosen, G.M., see Pou, W.S. (182) 393
Rouillard, C., Chiodo, L.A. and Freeman, A.S.
The effects of the phencyclidine analogs BTCP and TCP on nigrostriatal dopamine neuronal activity (182) 227
Rozanov, C., see Hinko, C.N. (182) 261

Salhoff, C.R., see Schoepp, D.D. (182) 421
Schaeffer, P., Vigne, P., Frelin, C. and Lazdunski, M.
Identification and pharmacological properties of binding sites for the atypical thiazide diuretic, indapamide (182) 503
Schmid, K., see Böhmer, G. (182) 405
Schoemaker, R.G., Debets, J.J.M., Struyker-Boudier, H.A.J. and Smits, J.F.M.
Beneficial hemodynamic effects of two weeks' milrinone treatment in conscious rats with heart failure (182) 527
Schoepp, D.D., Gamble, A.Y., Salhoff, C.R., Johnson, B.G. and Ornstein, P.L.
Excitatory amino acid-induced convulsions in neonatal rats mediated by distinct receptor subtypes (182) 421
Schölkens, B.A., see Martorana, P.A. (182) 395
Schröder, H., Ney, P., Woditsch, I. and Schrör, K.
Cyclic GMP mediates SIN-1-induced inhibition of human polymorphonuclear leukocytes (182) 211
Schrör, K., see Schröder, H. (182) 211
Schulte-Brinkmann, R., see Neuser, D. (182) 569
Scivoletto, R., see Fortes, Z.B. (182) 143
Seiler, N., see Liu, Z. (182) 109
Serio, R., Mulè, F., Adamo, E.B. and Postorino, A.

Evidence against purines being neurotransmitters of non-adrenergic, non-cholinergic nerves in rat duodenum (182) 487
Shepherd, J.K., see Rodgers, R.J. (182) 581
Skarsfeldt, T. and Perregaard, J.
Sertindole, a new neuroleptic with extreme selectivity on A10 versus A9 dopamine neurones in the rat (182) 613
Smith, A.D., see Homa, S.T. (182) 457
Smits, J.F.M., see Schoemaker, R.G. (182) 527
Speak, A.E., see Homa, S.T. (182) 457
Spear, L.P., see Frambes, N.A. (182) 9
Stancampiano, R., see Melis, M.R. (182) 101
Stanton, J.A., see Watling, K.J. (182) 465
Starr, B.S., see Al-Tajir, G. (182) 245
Starr, M.S., see Al-Tajir, G. (182) 245
Stenger, A., see Lerner-Natoli, M. (182) 161
Struyker-Boudier, H.A.J., see Schoemaker, R.G. (182) 527

Takanaka, A., see Nakazawa, K. (182) 189
Takayanagi, I., Kawano, K.-i. and Koike, K.
α_2-Adrenoceptor mechanisms in guinea-pig trachea (182) 577
Takeuchi, H., see Kim, K.H. (182) 49
Takizawa, T., see Horii, S. (182) 497
Tamaoki, J., see Horii, S. (182) 497
Taylor, W.C., see Darroch, S.A. (182) 131
Taylor III, P.A., see Karasawa, A. (182) 1
Thiemermann, C. and Vane, J.
Inhibition of nitric oxide synthesis reduces the hypotension induced by bacterial lipopolysaccharides in the rat in vivo (182) 591
Ticku, M.K., see Mehta, A.K. (182) 473
Tohyama, K., see Nabeshima, T. (182) 555
Tomiyama, K., see Koshikawa, N. (182) 375
Tsuchida, K., see Miyata, N. (182) 209
Tsuda, K., Tsuda, S., Goldstein, M. and Masuyama, Y.
Effects of neuropeptide Y on norepinephrine release in hypothalamic slices of spontaneously hypertensive rats (182) 175
Tsuda, S., see Tsuda, K. (182) 175

Uchida, M.-K., see Karibe, H. (182) 273
Urca, G., see Raigorodsky, G. (182) 37
Uvelius, B., Lundin, S. and Andersson, K.-E.
Content and contractile effect of arginine vasopressin in rat urinary bladder (182) 549

Valet, P., see Durrieu, G. (182) 597
Vandekerckhove, A., see Keppens, S. (182) 149
Vane, J., see Thiemermann, C. (182) 591
Vane, J.R., see Mitchell, J.A. (182) 573
Van Ginneken, C.A.M., see Van Megen, Y.J.B. (182) 515
Van Ginneken, C.A.M., see Van Megen, Y.J.B. (182) 561
Van Megen, Y.J.B., Rodrigues de Miranda, J.F., Klaassen, A.B.M., Wentges, B.T.R. and Van Ginneken, C.A.M.
α_2-Adrenoceptors in homogenates of rat nasal mucosa (182) 561
Van Megen, Y.J.B., Van Ratingen, C.J.B.M., Klaassen, A.B.M., De Miranda, J.F.R., Van Ginneken, C.A.M. and Wentges, B.T.R.
Biochemical and autoradiographic analysis of β-adrenoceptors in rat nasal mucosa (182) 515
Van Ratingen, C.J.B.M., see Van Megen, Y.J.B. (182) 515
Vargas, M.L., see Martínez, J.A. (182) 117
Venkova, K., see Pencheva, N. (182) 199
Vergnes, M., see Liu, Z. (182) 109
Vigne, P., see Schaeffer, P. (182) 503
Villeneuve, A., see Durrieu, G. (182) 597

Wardas, J., see Ossowska, K. (182) 327
Watling, K.J., Beer, M.S., Stanton, J.A. and Newberry, N.R.
Interaction of the atypical neuroleptic clozapine with 5-HT_3 receptors in the cerebral cortex and superior cervical ganglion of the rat (182) 465
Watson, G.B., see Lanthorn, T.H. (182) 397
Wentges, B.T.R., see Van Megen, Y.J.B. (182) 515
Wentges, B.T.R., see Van Megen, Y.J.B. (182) 561
Whiting, R.L., see Michel, A.D. (182) 335
Wiesenfeld-Hallin, Z., see Xu, X.-J. (182) 137
Willer, J.C., Le Bars, D. and De Broucker, T.
Diffuse noxious inhibitory controls in man: involvement of an opioidergic link (182) 347
Woditsch, I., see Schröder, H. (182) 211
Wolfarth, S., see Ossowska, K. (182) 327
Wu, S.-L., see Yang, M.C.M. (182) 537

Xu, X.-J., Wiesenfeld-Hallin, Z., Fisone, G., Bartfai, T. and Hökfelt, T.
The N-terminal 1-16, but not C-terminal 17-29, galanin fragment affects the flexor reflex in Rats (182) 137

Yamamoto, S., see Aizu, E. (182) 19
Yamawaki, I., see Horii, S. (182) 497
Yang, M.C.M., Wu, S.-L., Kuo, J.-S. and Chen, C.-F.
The hypotensive and negative chronotropic effects of dehydroevodiamine (182) 537